

THE **MARINDUS**
COMPANY INC.

airtec

SURFACE PREPARATION SPECIALISTS



- Grinding
- Scarifying
- Planing
- Texturing
- Roughening
- Smoothing
- Removing
- Cleaning
- Descaling
- Scraping
- Prepare for Recoating
- Safety Grooving
- Finishing
- Polishing
- Dust Collection

YOUR SOURCE FOR DUST FREE SURFACE PREPARATION EQUIPMENT

THE **MARINDUS COMPANY**
P.O. BOX 663 • ENGLEWOOD, NJ 07631 • USA

TEL. 201.567.8383
FAX. 201.567.6055



info@marindusco.com
www.marindusco.com

CONTENTS

| | |
|----------------------------------------------------------------------------------|--------------|
| SHAVEMASTER Diamond Drum Concrete Planer | 3 |
| Scarifiers and Planers | 4-6 |
| Cutters and Drums | 7 |
| Easy-Click® Diamond Grinding Segments | 8 |
| Super Premium Diamond Grinding Segments | 9 |
| Walk-Behind Edger / Small Area Grinder | 10 |
| Single Disc and Planetary Polisher / Grinders | 11 |
| Professional Grinding & Surface Polishing Equipment | 12-13 |
| Gear-Driven Counter-Rotating Grinders | 14 |
| Hand Tools / Diamond Discs | 15 |
| Air-Powered Chisel Hammers, Needle Scaler Air Scraper and Accessories | 16 |
| POWERMAN® for Removal, Stripping, Scraping | 17 |
| Ride-On Scraper | 17 |
| RONDA® Industrial Vacuum Cleaners | 18 |
| KING-VAC HEPA Vacuums | 19 |

TOUGH STUFF™

FOR
SURFACE PREPARATION



THE **MARINDUS**
COMPANY INC.

P.O. BOX 663 • ENGLEWOOD, NJ 07631 • USA

TEL. 201.567.8383
FAX. 201.567.6055


info@marindusco.com
www.marindusco.com

THE ORIGINAL SM-320 "SHAVEMASTER" DIAMOND-DRUM CONCRETE PLANER






DIAMOND BLADES FOR MULTIPLE APPLICATIONS

- Coating removal at 1/4" per pass
- Expose aggregate for polish
- Repairing curled joints
- Safety grooving
- Aggressive milling
- Quick lowering mechanism
- Hydrostatic forward and reverse drive
- Differential axle



SM-320 Now with powerful 25 HP motor



- Finer profiles possible by adding additional grinding blades







| | |
|----------------|---------------------------------------------|
| Cutting Width: | 13" (320 mm) |
| Weight: | 704-825 lbs. (320-375 Kg) |
| Power: | 15 20 25 HP / 460 Volts 208 - 230 Option |
| Option: | Gasoline 27 HP |

SM-400 SHAVE-MASTER

- 14" diamond blades
- Hydrostatic forward and reverse drive
- Cutting depth 1/2" max
- Hydraulic transmission



| | |
|----------------|-------------------|
| Cutting Width: | 16" (400 mm) |
| Weight: | 1,600 lbs (727Kg) |
| Power: | 30 HP / 460 Volts |



AIRTEC SCARIFYING MACHINES prepare a variety of surfaces by means of a rotating drum with loosely mounted flails. A wide selection of cutter types allow for preparing, cleaning, removing glues, preparing surfaces and grinding away concrete.

- Micro depth adjustment
- Quick-set/quick-lift-off lever for lowering and raising the drum
- Connection for vacuum cleaner
- Optional edger attachment
- Excellent balance between machine weight and performance

ROUGHENING - REMOVING - MILLING - STRIPPING - CUTTING

EDGE MILLER RF-90

| | |
|---------------|-------------------------------------|
| Working Width | 3.5" (90mm) |
| Dimensions | L: 39" W:24" H: 39" |
| Weight | 132 lbs (60 Kg) |
| Power Options | 115V or 230V 1-P 230V or 460V 3-P |



Drum installation for use on the left



Drum installation for use on the right



fast drum change




EASY DRUM CHANGE

ECONOMY ES-200

| | |
|---------------------------------------------------|--------------------------------------------------------------------------------|
| Working Width: | 8 " (200 mm) |
| Dimensions: | L: 35" W: 14" H:36" |
| Weight: | 120 lbs |
| Power: Gasoline Electric Pneumatic – Diesel | Honda 5.5 HP 3 HP 1 phase 230 Volts 3 HP 3 Phase 220/440 Volts Option |

for HIGH PRODUCTION



RT-2500

| | |
|--------------------|-----------------------------|
| Working Width: | 10" (250 mm) |
| Dimensions: | L: 44" W: 19" H: 46" |
| Weight: | 285 lbs |
| Power: Gasoline | Honda 8 HP |
| Electric | 5 HP 230/460 Volts 3P |
| Pneumatic – Diesel | 5 HP 230 Volts 1P Option |



RT-3200




| | |
|--------------------|----------------------|
| Working Width: | 13" (320 mm) |
| Dimensions: | L: 44" W: 23" H: 39" |
| Weight: | 400 lbs |
| Power: Gasoline | Honda 9 HP |
| Electric | 7.5 HP 230/460 Volts |
| Pneumatic – Diesel | Option |

RM-320

SELF-PROPELLED POWER PLANER



| | |
|-----------------|----------------------|
| Working Width: | 13" (320 mm) |
| Dimensions: | L: 44" W: 23" H: 39" |
| Weight: | 800 lbs |
| Power: Gasoline | Honda 20 HP |
| Electric | 15 HP 220-440 V |
| Diesel | Option |



- Designed for larger areas
- Fully adjustable depth control up to **3/8"** in one pass
- Self-propelled hydrostatic power forward and reverse drive


THE ORIGINAL



HIGH PERFORMANCE TOOLS



INNOVATIVE CONVERSION OPTION



RM-320- G5000

- Converts your gasoline machine into a shaver
- Concrete correcting
- Safety grooving

24 blades